



Eastern Carpet Trading Company  
P: +965 504 813275, +966 13 867 8785  
Email: [info@easterncarpettrading.com](mailto:info@easterncarpettrading.com)



San siro 06+Gorgeous 01+Gorgeous 02



San siro 03+San siro 09+San siro 14



San siro 03+Gorgeous 06





Eastern Carpet Trading Company  
P: +966 504 813275, +966 13 867 8785  
Email: [mastercarpethouse@hotmail.com](mailto:mastercarpethouse@hotmail.com)





Eastern Carpet Trading Company  
P: +966 504 813275, +966 13 867 8785  
Email: easterncarpethouse@hotmail.com





Eastern Carpet Trading Company  
P: +966 504 813275, +966 13 867 8785  
Email: easterncarpethouse@hotmail.com



  
Eastern Carpet Trading Company  
P: +965 504 87775, +965 13 867 8795  
Email: [easterncarpettrading@hotmail.com](mailto:easterncarpettrading@hotmail.com)





Eastern Carpet Trading Company  
P: +966 504 813275, +966 13 867 8785  
Email: easterncarpet@easterncarpet.com



San siro 03+San siro 06+San siro 09




Nakhi 02+08




## 纳西 Nakhi

Eastern Carpet Trading Company  
P: +86 534 833275, +86 13 867 8285  
Email: easterncarpet@163.com



纳西 Nakhi 01




纳西 Nakhi 02



纳西 Nakhi 03



纳西 Nakhi 04



纳西 Nakhi 05



纳西 Nakhi 06



纳西 Nakhi 08


## 圣西罗 San siro



圣西罗 San siro 01



圣西罗 San siro 02



圣西罗 San siro 03



圣西罗 San siro 04




圣西罗 San siro 05



圣西罗 San siro 06



圣西罗 San siro 09




圣西罗 San siro 14

## 炫彩 Gorgeous




炫彩 Gorgeous 01




炫彩 Gorgeous 02



炫彩 Gorgeous 04



炫彩 Gorgeous 06



炫彩 Gorgeous 09



炫彩 Gorgeous 10




炫彩 Gorgeous 11



炫彩 Gorgeous 12



炫彩 Gorgeous 13



炫彩 Gorgeous 14

<b>Style Name:</b>	Nakhi / San siro / Gorgeous
<b>Construction:</b>	Multi-Level Loop / Level Loop
<b>Fiber:</b>	100% Nylon
<b>Gauge:</b>	1/12 5/64
<b>Stitches:</b>	11 Per inch
<b>Average Pile Height:</b>	4mm ± 0.5mm / 3mm ± 0.5mm
<b>Backing:</b>	PVC with Fiberglass
<b>Tile Size:</b>	50cm×50cm
<b>Area of use:</b>	Commercial-Heavy Duty
<b>Flammability:</b>	ASTM E 648, GB 8624-2012
<b>Static Propensity:</b>	AATCC-134, GB/T 18044-2008
<b>Smoke Density:</b>	ASTM E 662, GB/T 8627-1999